



CATALOGUE

2026

ECONOMY SERIES

**POWER TOOLS
AND ACCESSORIES**

www.divpowertools.in

CORDLESS DRILL (DOUBLE BATTERY)

ST 2001

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	12 V
No Load Speed	0-350/ 0-1300 RPM



ELECTRIC DRILL 10MM (2310)

ST 2003

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	12 V
No Load Speed	0-400/ 0-1500 RPM



ELECTRIC DRILL 10MM L/R

ST 2004

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/ 0-1300 RPM



ELECTRIC DRILL 10MM L/R NEW

ST 2005

NEW

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	500 W
No Load Speed	0-350/ 0-1300 RPM



SCREW DRIVER 10B

ST 2006

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	400 W
No Load Speed	0-350/ 0-1300 RPM



IMPACT DRILL 13IM (13MM)

ST 2008

SPECIFICATION

Drill Capacity	13MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	850W
No Load Speed	0-350/ 0-1300 RPM



IMPACT DRILL 13MM(13RE)

ST 2009

SPECIFICATION

Drill Capacity	13 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	800 W
No Load Speed	0-2900 RPM



ELECTRIC DRILL DU10

ST 2010

SPECIFICATION

Drill Capacity	13 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	700 W
No Load Speed	0-3000 RPM



ANGLE GRINDER 6-100 (4")

ST 2013



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

ANGLE GRINDER 801 (4")

ST 2015



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

ANGLE GRINDER 125MM (5")

ST 2020



SPECIFICATION

Disc Diameter	125 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1250 W
No Load Speed	8500 RPM

POLISHER M/C 7"

ST 2021



SPECIFICATION

Drill Capacity	180 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	11000 RPM

PAINT MIXER

ST 2023



SPECIFICATION

Chuck Size	13 mm
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	850 W
No Load Speed	0-3000 RPM

ELECTRIC BLOWER (CHINA TYPE)

ST 2029



SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	600 W
No Load Speed	16000 RPM

MARBLE CUTTER CM4SA

ST 2033



SPECIFICATION

Wheel Size	100 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

MARBLE CUTTER CM4SB

ST 2035



SPECIFICATION

Wheel Size	110 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

ELECTRIC PLANNER 1900B

ST 2039



SPECIFICATION

Planning Width	82MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	850 W
No Load Speed	16000 RPM

ELECTRIC PLANNER 82MM

ST 2040



SPECIFICATION

Planning Width	82MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	800 W
No Load Speed	16000 RPM

GASOLINE CHAINSAW 22" 58CC

ST 2052



SPECIFICATION

Skid Length	550 mm
Two Stroke Displacement	58 cc
Output Power	2.4 Kw

GASOLINE CHAINSAW 22" 62CC

ST 2054



SPECIFICATION

Skid Length	550 mm
Two Stroke Displacement	62 cc
Output Power	2.4 Kw

ROTARY HAMMER 20 MM

ST 2053



SPECIFICATION

Drill Capacity	20 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	850 RPM

ROTARY HAMMER 26 MM

ST 2055



SPECIFICATION

Drill Capacity	26 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	850 RPM

DEMOLITION HAMMER PH65

ST 2059



SPECIFICATION

Chisel	30MM
Input Power	2200 W
Full Load Impact Rate	1400/min

DEMOLITION HAMMER 0835 (11E MAX)

ST 2060



SPECIFICATION

CHISEL	18MM
Input Power	2000 W
Vibration (Chiselling)	18.5 M/s ²

DEMOLITION HAMMER 0810(5KG)

ST 2061



SPECIFICATION

CHISEL	17MM
Input Power	1500 W
Vibration (Chiselling)	2900/Min

DEMOLITION HAMMER 0835 (7KG)

ST 2062



SPECIFICATION

CHISEL	17MM
Input Power	2000 W
Vibration (Chiselling)	3800/Min

VIBRATOR HANDY (1.5) MTR

ST 2063



SPECIFICATION

Voltage/	220 V /
Frequency	240 V 50 Hz
Input Power	2000 W
No Load Speed	2000 RPM

C`HOPSAW (355LT)

ST 2065



SPECIFICATION

Disc Diameter	355mm
Voltage/	220 V /
Frequency	240 V 50 Hz
Input Power	2800 W
No Load Speed	2200 RPM

COMPRESSOR ALLUMINIUM 50 LTR

ST 2069



COMPRESSOR ALLUMINIUM 50 LTR OIL FREE

ST 2071



ELECTRIC CHAINSAW 16" 4016

ST 2081



SPECIFICATION

Skid Length	405 MM
Input Power	2000 W
Input Power	2.4 Kw

ELECTRIC CHAINSAW 16" CHINA TYPE

ST 2082



SPECIFICATION

Skid Length	405 MM
Input Power	2000 W
Input Power	2.4 Kw

ELECTRIC DRILL 10MM

SV 2310



SPECIFICATION

Drill Capacity	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

ELECTRIC DRILL 10MM (L/R)

SV 10L/R



SPECIFICATION

Drill Capacity	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

SCREW DRIVER (10B)

SV 10S



SPECIFICATION

Drill Capacity	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

CORDLESS DRILL 12V



SPECIFICATION

Drill Capacity	10 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	12 V
No Load Speed	0-400/0-1500 RPM

IMPACT DRILL 13MM

SV 131M



SPECIFICATION

Drill Capacity	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

IMPACT DRILL 13MM (13RE)

SV 13RE



SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

ANGLE GRINDER 6-100 (4")

SV 6-100



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

ANGLE GRINDER 801 (4")

SV 801



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

ANGLE GRINDER 5" 125MM

SV AG-5



SPECIFICATION

Disc Diameter	125MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

MARBLE CUTTER CM4SA

SV 4SA



SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

MARBLE CUTTER CM4SB

SV 4SB



SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

DEMOLITION HAMMER 0810 (5KG)

SV 0810



SPECIFICATION

CHISEL	17MM
Input Power	900 W
Vibration (Chiselling)	2900/Min

DEMOLITION HAMMER 0835 (7KG)

SV 0835



SPECIFICATION

CHISEL	17MM
Input Power	2000 W
Vibration (Chiselling)	3800/Min

DEMOLITION HAMMER PH65

SV 65A



SPECIFICATION

CHISEL	30MM
Input Power	2200 W
Vibration (Chiselling)	1400/min

ROTARY HAMMER 20MM



SPECIFICATION

Drill Capacity	20 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	850 RPM

ROTARY HAMMER 26MM

SV 26H



SPECIFICATION

Drill Capacity	26 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	850 RPM

PAINT MIXER (1.5) MTR



SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	2000 RPM

ELECTRIC MIXER



SPECIFICATION

Chuck Size	13 mm
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	850 W
No Load Speed	0-3000 RPM

ELECTRIC BLOWER

SV 40



SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	600 W
No Load Speed	16000 RPM



ELECTRIC DRILL 10MM

EP 2310



SPECIFICATION

Disc Diameter	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	11000 RPM

ELECTRIC DRILL L/R 10MM

EP 10A



SPECIFICATION

Disc Diameter	10MM L/R
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	11000 RPM

SCREW DRIVER 10B

EP



SPECIFICATION

Drill Capacity	10 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

DRILL MACHINE 13MM (13B)

EP 131M



SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

DRILL MACHINE 13MM (13RE)

EP-13RE



SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

ROTARY HAMMER 20MM

EP 133



SPECIFICATION

Drill Capacity	20 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	850 RPM

ROTARY HAMMER 26MM

EP 135



SPECIFICATION

Drill Capacity	13 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

DEMOLITION HAMMER PH65 (EP - 101)

EP 65A



SPECIFICATION

Chisel	30MM
Input Power	2200 W
Full Load Impact Rate	1400/min

DEMOLITION HAMMER 0810

EP 0810

SPECIFICATION

CHISEL	17MM
Input Power	1500 W
Vibration (Chiselling)	2900/Min



ANGLE GRINDER 6-100 (4")

EP 6-100

SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM



ANGLE GRINDER 801 (4")

EP 801

SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	11000 RPM



ANGLE GRINDER 5" 125 MM

EP-AG5

SPECIFICATION

Disc Diameter	125MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM



MARBLE CUTTER CM4SA

EP SA

SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM



MARBLE CUTTER CM4SB

EP SB

SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM



PAINT MIXER EP

EP

SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	2000 RPM



VIBRATOR HANDY (1.5) MTR

EP

SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	4000 RPM



ELECTRIC DRILL 10MM (2310)

D 2310

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM



DRILL MACHINE 10MM (L/R)

D 10L/R

SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	12 V
No Load Speed	0-400/0-1500 RPM



SCREW DRIVER (10B)

D 10B

SPECIFICATION

Drill Capacity	10 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM



DRILL 13MM (13B)

D-13B

SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM



DRILL 13MM (13RE)

D-13RE

SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM



ANGLE GRINDER 6-100 (4")

D 6-100

SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM



ANGLE GRINDER 801 (4")

D 801

SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	11000 RPM



ANGLE GRINDER 125 MM (5")

D-AG 5

SPECIFICATION

Disc Diameter	125MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM



MARBLE CUTTER CM4SA

D SA



SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

MARBLE CUTTER CM4SB

D SB

SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1450 W
No Load Speed	12500 RPM

ROTARY HAMMER 20MM

D 20H



SPECIFICATION

Drill Capacity	20 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	850 RPM

ROTARY HAMMER 26MM

D 26H



SPECIFICATION

Drill Capacity	26 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	850 RPM

DEMOLITION HAMMER D 0810 (5KG)

D 0810



SPECIFICATION

CHISEL	17MM
Input Power	900 W
Vibration (Chiselling)	2900/Min

DEMOLITION HAMMER 0835 (7KG)

D 0835



SPECIFICATION

CHISEL	17MM
Input Power	2000 W
Vibration (Chiselling)	3800/Min

DEMOLITION HAMMER PH65

D PH65



SPECIFICATION

Chisel	30MM
Input Power	2200 W
Full Load Impact Rate	1400/min

VIBRATOR HANDY (1.5) MTR



SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	4000 RPM

PAINT MIXER

D MIX



SPECIFICATION

Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	2000 W
No Load Speed	2000 RPM

DRILL MACHINE 10MM (2310)



SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

ELECTRIC DRILL 10MM L/R

PL 10A



SPECIFICATION

Drill Capacity	10 MM
Voltage/ Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

SCREW DRIVER (10B)

PL 10B



SPECIFICATION

Drill Capacity	10MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	450 W
No Load Speed	0-350/0-1300 RPM

ELECTRIC DRILL (13B)

PL13IM



SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

ELECTRIC DRILL 13MM (13RE)

PL 13RE



SPECIFICATION

Drill Capacity	13 MM
Voltage/Frequency	220 V / 240 V / 50 Hz
Input Power	1000 W
No Load Speed	3000 RPM

ROTARY HAMMER 20MM

PL 20MM

SPECIFICATION

Drill Capacity	20 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1500 W
No Load Speed	850 RPM

ROTARY HAMMER 26MM

PL 26MM



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	11000 RPM

ANGLE GRINDER 801

PL 801



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1200 W
No Load Speed	11000 RPM

ANGLE GRINDER 6-100 (4")

PL 6-100



SPECIFICATION

Disc Diameter	100 MM
Voltage/Frequency	220 V / 240 V 50 Hz
Input Power	1100 W
No Load Speed	11000 RPM

DEMOLITION HAMMER 0810

SPECIFICATION

CHISEL	17MM
Input Power	900 W
Vibration (Chiselling)	2900/Min



DEMOLITION HAMMER 0835 (7KG)

PL 0835



SPECIFICATION

CHISEL	17MM
Input Power	2000 W
Vibration (Chiselling)	3800/Min

DEMOLITION HAMMER PH65

SPECIFICATION

CHISEL	30MM
Input Power	2200 W
Vibration (Chiselling)	1400/min



MARBLE CUTTER CM4SA

SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V/240 V/50 Hz
Input Power	1450 W
No Load Speed	12500 RPM



MARBLE CUTTER CM4SB

SPECIFICATION

Wheel Size	110 MM
Voltage/Frequency	220 V/240 V/50 Hz
Input Power	1450 W
No Load Speed	12500 RPM



PAINT MIXER

SPECIFICATION

Voltage/ Frequency	220 V/240 V/50 Hz
Input Power	2000 W
No Load Speed	2000 RPM



VIBRATOR HANDY (1.5) MTR

SPECIFICATION

Voltage/ Frequency	220 V/240 V/50 Hz
Input Power	1200 W
No Load Speed	4000 RPM



QUALITY POWER TOOLS AND ABRASIVES




CUTTING WHEEL
2 NET 14\"X2.5 - GREEN




CUTTING WHEEL
2 NET 14\"X2.5 - BLACK




CUTTING WHEEL
2 NET 14\"X2.5 - BROWN




CUTTING WHEEL
2 NET 14\"X2.5 - RED




CUTTING WHEEL
2 NET 4\"X1 - GREEN




NON-WOVEN WHEEL
4\" U-5 MARRON




CUTTING WHEEL
14*2.5(2) GREEN
4*1(2) GREEN




CUTTING WHEEL
5*1(2) GREEN
7*1.5(2) GREEN




CUTTING WHEEL
4*1(2) BROWN




CUTTING WHEEL
14\"X2.5 (1 NETT) - GREEN




CUTTING WHEEL
14\"X2.5 (2 NETT) - GREEN




CUTTING WHEEL
4\"X1 - GREEN

QUALITY POWER TOOLS AND ABRASIVES



CUTTING WHEEL
5"X1.0 GREEN



CUTTING WHEEL
7"X1.6 GREEN



CUTTING WHEEL
14"X2.5 - GREEN



CUTTING WHEEL
4"X1 - GREEN



CUTTING WHEEL
2 NET 14"X2.5 - GREEN



CUTTING WHEEL
2 NET 4"X1 - GREEN



CUTTING WHEEL
4"X1 GREEN



FLAP DISC
4" #60



FLAP DISC
4" #80



FLAP DISC
4" #100, 4" #120



DC WHEELS
4"X6 - GREEN



DC WHEELS
5"X6 - GREEN



ECONOMY SERIES

POWER TOOLS AND ACCESSORIES

www.divpowertools.in